

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR  Naoki Ota	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/811,434	03/25/2004		Q180-US1		
31815 MARY ELIZA	7590 07/24/2007 ABETH BUSH		EXAMINER		
QUALLION LLC			KALAFUT, STEPHEN J		
P.O. BOX 923 SYLMAR, CA		•	ART UNIT	PAPER NUMBER	
,			1745		
			MAIL DATE	DELIVERY MODE	
	•		07/24/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)	
Office Action Summary		10/811,434	OTA ET AL.	
		Examiner	Art Unit	
		Stephen J. Kalafut	1745	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet wi	th the correspondence addres	5S
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANS and the may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Properson of the provision of the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNIC 36(a). In no event, however, may a re vill apply and will expire SIX (6) MON' cause the application to become AB	CATION.  eply be timely filed  THS from the mailing date of this commu  ANDONED (35 U.S.C. § 133).	
Status				
··	Responsive to communication(s) filed on <u>17 M</u> This action is <b>FINAL</b> . 2b) This Since this application is in condition for allower closed in accordance with the practice under E	action is non-final.	•	erits is
Dispositi	on of Claims	•		
5)⊠ 6)⊠ 7)⊠	Claim(s) 1-10 and 12-34 is/are pending in the a 4a) Of the above claim(s) is/are withdraw Claim(s) 1-5 is/are allowed. Claim(s) 6-10,12-15,17,19-32 and 34 is/are rejudiction(s) 16,18 and 33 is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.		
Applicati	on Papers		•	
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>17 May 2007</u> is/are: a)[ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objec drawing(s) be held in abeyan ion is required if the drawing(	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.	
Priority u	ander 35 U.S.C. § 119			•
a)[	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priority application from the International Bureau  See the attached detailed Office action for a list of	s have been received. s have been received in Apity documents have been (PCT Rule 17.2(a)).	oplication No received in this National Stag	ge
		·		
Attachmen	t(s) e of References Cited (PTO-892)		(PTC 440)	
2) Notic 3) Inform	e of References Cited (P10-692) e of Draftsperson's Patent Drawing Review (PT0-948) nation Disclosure Statement(s) (PT0/SB/08) r No(s)/Mail Date	Paper No(s	ummary (PTO-413) )/Mail Date formal Patent Application 	

Art Unit: 1745

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 6, 7, 9-14, 25, 26, 28, 29 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wallis *et al.* (US 3,646,405) in view of Yoshida *et al.* (US 6,696,199), for reasons of record as applied to original claims 10, 14 and 29, and incorporating reasons applied to original claims 6 and 25.

Claims 8 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wallis *et al.* in view of Yoshida *et al.*, as applied to claims 7 and 25 above, and further in view of Tower (US 6,111,198).

The above combination does not disclose the shaft of the pin being brazed to the insulator. Tower discloses a feedthrough with a pin having a shaft (235) that is brazed to an insulator (220). See column 6, lines 21-29. The braze material contact the head (230) of the pin (figure 2). Because this arrangement reduces cracking (column 2, lines 29-30), it would be obvious to braze the pin shaft and insulator of Wallis *et al.*, with the pin shaft and pin head forming one piece as taught by Yoshida *et al.*, according to the arrangement shown by Tower.

Claims 30-32 are rejected under 35 U.S.C. 102(b) as being anticipated by Tower, for reasons of record.

The recitation that the feedthrough assembly is "for an electrochemical device" is a statement of intended use, and thus does not distinguish.

Art Unit: 1745

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 15, 17, 19, 20, 22 and 23 are rejected under 35 U.S.C. 102(a) and (e) as being anticipated by Yoshida *et al.* (US 6,696,199), cited above.

Applicant has removed from claim 15 the requirement that the "bottom surface of the insulator is brazed to a top surface of said case cover". Yoshida *et al.* disclose the remaining limitations of these claims. Specifically, Yoshida *et al.* disclose a battery with a feedthrough assembly, where the assembly includes a cover (7) having a hole surface defining a hole in the cover; an insulator (6) having a hole therethrough, top and bottom surfaces, with an outer surface located within the hole in the cover; a pin shaft (4) extending through the hole in the insulator; and brazing (10) that joins the insulator outer surface to the hole surface in the cover. The pin may include a pinhead (4a) integral with the shaft (4), or a pinhead that is separate (11a). The pin may thus be one-piece or two piece. These parts are made of metal (column 2, lines 64-66, column 3, lines 4-6, and column 6, lines 7-10). The underside of the pinhead may be brazed (8a) to the top surface of the insulator (figure 9). The insulator is preferably made of alumina, a non-glass ceramic (column 6, lines 15-22). The terminal (4) is positive (column 6, line 15), and thus

Art Unit: 1745

would be connected to the positive electrodes within the battery, which would also include negative electrodes and an electrolyte.

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshida et al.

This claim differs from Yoshida *et al.* by reciting the diameter of the pin shaft. However, determining appropriate dimensions for battery components would be within the skill of the ordinary artisan, taking into consideration mechanical strength and effect on battery capacity. For this reason, this claim would be obvious over Yoshida *et al.* 

Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshida *et al.* in view of Nakahara *et al.* (US 6,677,076).

This claim differs from Yoshida et al. by reciting that the electrodes are wound around the pin. Such an arrangement is shown by Nakahara et al., who disclose a terming pin (12) that extends into the interior of their battery. As seen in figure 16b, the entire cell assembly, which would include both electrodes, is wound around the terminal pin. Because of the mechanical strength afforded by this arrangement (column 5, lines 2-4), it would be obvious to wind the electrodes of Yoshida et al. around their terminal pin in the manner shown by Nakahara et al.

Claims 16, 18 and 33 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. Yoshida *et al.* do not disclose the thickness of the insulator being the same as that of region of the cover hole around the insulator, or the insulator being

Art Unit: 1745

brazed to the pin shaft. Applicant's arguments regarding the combinability of Tower and Yoshida *et al.* are found persuasive with respect to claim 33 because it requires the feedthough assembly be used in the production of an actual battery, and not merely the presence of a part defined only by a recitation of intended use.

Applicant's arguments filed 17 May 2007 have been fully considered but they are not persuasive.

Applicants argue that Yoshida et al. teaches that the "cited pin" (the one-piece pin) "provides the same function as a two-piece pin", and thus does not provide any motivation to use the "cited pin" in place of the two-piece pin", either being able to accommodate distortions. This is not persuasive because the two-piece pin of Wallis et al. does not provide such an advantage. Yoshida et al., in either arrangement, provide an improvement over Wallis et al., in the ability of a feedthrough to withstand mechanical stress, and thus motivation to use their pin.

Applicants argue that "Yoshida does teach that the cited pin has an advantage over the two-piece pin", but that this advantage, avoiding brazing between a metallic ring and a positive terminal, is already present in Wallis *et al*. This is not persuasive because this is only <u>an</u> advantage that both references share. This would only mean that <u>this particular</u> motivation, the avoidance of pin-ring brazing, is lacking in the references. However, while a motivation is required to combine references, it does not have to be any one particular motivation.

Applicant argues that Yoshida *et al.* disclose batteries, while Tower discloses semiconductor devices, the two patents being in different fields of endeavor, and thus not analogous prior art. This is not persuasive, for claims 30-32, because applicants do not claim a battery, but Art Unit: 1745

a cover "for an electrochemical device". This is a statement of intended use for the cover, and does not convey any specific type of cover structure. Battery covers may be made of a variety of materials and in a variety of shapes. Furthermore, the term "electrical device" is broader than "battery", and also includes such devices as electrolytic capacitors and condensers, each of which would also use various types of covers. Thus, the term "cover for an electrical device" cannot be given any specific weight. However, claim 33 recites that an entire battery is made, thus rendering this argument persuasive for this particular claim.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1745

Page 7

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Kalafut whose telephone number is 571-272-1286. The examiner can normally be reached on Mon-Fri 8:00 am-4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

sik

STEPHEN KALAFUT PRIMARY EXAMINER GROUP 100